



Power Tools Accessories


CRESCENT

PROFESSIONAL CIRCULAR SAW BLADES

Designed to outlast and outperform.

Crescent's full range of professional circular saw blades are designed to outlast and outperform. Premium laser cut blades feature precision blend teeth, optimized tooth geometry and Active Shield[™] protective blade coating that deliver increased performance for the toughest applications on the job.





FRAMING CIRCULAR SAW BLADES

- High impact premium carbide teeth provide 8x blade life
- Active Shield[™] protective blade coating allows 70% more cuts per charge
- Cordless and corded performance for maximum versatility
- Active Shield[™] blade coating protects against heat for reduced gumming
- Laser cut expansion slots reduces blade warping
- Laser cut vibration slots minimize blade vibration for straighter cuts



Cat. No.	Size	Arbor/Bore Size	Tooth Type	Hook/Rake Angle	Kerf Thickness	Product Weight
CSBFR-624	6-1/2 in	5/8 in	Alternate Top Bevel (ATB)	18°	0.063 in	0.400 lb
CSBFR-624-10	6-1/2 in	5/8 in	Alternate Top Bevel (ATB)	18°	0.063 in	0.395 lb
CSBFR-724	7-1/4 in	5/8 in	Alternate Top Bevel (ATB)	18°	0.063 in	0.500 lb
CSBFR-724-10	7-1/4 in	5/8 in	Alternate Top Bevel (ATB)	18°	0.063 in	0.500 lb
CSBFR-824	8-1/4 in	5/8 in	Alternate Top Bevel (ATB)	18°	0.094 in	1.110 lb

RIPPING CIRCULAR SAW BLADES

- Micro grain premium carbide teeth deliver 10X blade life
- Thin kerf design for fast, precise cuts
- Cordless and corded performance for maximum versatility
- Active Shield[™] blade coating protects against heat for reduced gumming
- Laser cut expansion slots reduce blade warping
- Laser cut vibration slots absorb vibration for quieter cuts



Cat. No.	Size	Arbor/Bore Size	Tooth Type	Hook/Rake Angle	Kerf Thickness	Product Weight
CSBRP-1024	10 in	5/8 in	Alternate Top Bevel (ATB)	15°	0.098 in	1.850 lb

GENERAL PURPOSE CIRCULAR SAW BLADES

- Micro grain premium carbide teeth provide 10x blade life
- Thin kerf design for fast, precise cuts
- Cordless and corded performance for maximum versatility
- Active Shield[™] blade coating protects against heat for reduced gumming
- Laser cut expansion slots reduce blade warping
- Laser cut vibration slots absorb vibration for quieter cuts



Cat. No.	Size	Arbor/Bore Size	Tooth Type	Hook/Rake Angle	Kerf Thickness	Product Weight
CSBGN-1040	10 in	5/8 in	Alternate Top Bevel (ATB)	15°	0.098 in	1.860 lb
CSBGN-1244	12 in	1 in	Alternate Top Bevel (ATB)	15°	0.098 in	2.600 lb



COMBINATION CIRCULAR SAW BLADES

- Micro grain premium carbide teeth deliver 10x blade life
- Thin kerf design for fast, precise cuts
- Cordless and corded performance for maximum versatility
- Active Shield[™] blade coating protects against heat for reduced gumming
- Optimized tooth geometry for reduced splintering and tear out
- Laser cut vibration slots absorb vibration for quieter cuts



Cat. No.	Size	Arbor/Bore Size	Tooth Type	Hook/Rake Angle	Kerf Thickness	Product Weight
CSBCM-1050	10 in	5/8 in	Alternate Top Bevel (ATB)	15°	0.094 in	1.690 lb
CSBCM-1260	12 in	1 in	Alternate Top Bevel (ATB)	15°	0.118 in	3.100 lb

FINECUT[™] FINISHING CIRCULAR SAW BLADES

- Extended life and durability for 10x blade life
- Precision premium carbide teeth provide a 40% smoother surface finish
- Cordless and corded performance for maximum versatility
- Active Shield[™] blade coating protects against heat for reduced gumming
- Ultra-thin kerf design for precise cuts
- Optimized tooth geometry for reduced splintering and tear out
- Laser cut expansion slots reduce burning of finishes
- Laser cut vibration slots absorb vibration for quieter cuts



Cat. No.	Size	Arbor/Bore Size	Tooth Type	Hook/Rake Angle	Kerf Thickness	Product Weight
CSBFF-640	6-1/2 in	5/8 in	Alternate Top Bevel (ATB)	15°	0.063 in	0.350 lb
CSBFN-740	7-1/4 in	5/8 in	Alternate Top Bevel (ATB)	15°	0.063 in	0.460 lb
CSBFN-740-10	7-1/4 in	5/8 in	Alternate Top Bevel (ATB)	15°	0.063 in	0.500 lb
CSBUF-760	7-1/4 in	5/8 in	Alternate Top Bevel (ATB)	15°	0.063 in	0.470 lb
CSBFN-840	8-1/4 in	5/8 in	Alternate Top Bevel (ATB)	15°	0.094 in	1.130 lb
CSBFF-1060	10 in	5/8 in	High Alternate Top Bevel (HiATB)	15°	0.094 in	1.720 lb
CSBUF-1080	10 in	5/8 in	Alternate Top Bevel (ATB)	15°	0.098 in	1.850 lb
CSBFF-1280	12 in	1 in	High Alternate Top Bevel (HiATB)	7°	0.118 in	3.200 lb

STEELSLICER[™] METAL CIRCULAR SAW BLADES

- Heat defense premium cermet teeth deliver 20X blade life
- Optimized tooth geometry provides 40% cooler cuts
- Cordless and corded performance for maximum versatility
- Active Shield[™] blade coating protects against heat for reduced gumming
- Laser cut vibration slots absorb vibration for accurate, clean cuts



Cat. No.	Size	Arbor/Bore Size	Tooth Type	Hook/Rake Angle	Kerf Thickness	Product Weight
CSBMM-530	5-3/8 in	20mm w Reduction 10mm, 5/8" & 1/2" Rings	Modified Alternate Top Bevel (M-ATB)	2°	0.063 in	0.385 lb
CSBMM-5530	5-1/2 in	20mm w Reduction 10mm, 5/8" & 1/2" Rings	Modified Alternate Top Bevel (M-ATB)	2°	0.063 in	0.330 lb
CSBMM-748	7-1/4 in	5/8 in	Modified Alternate Top Bevel (M-ATB)	2°	0.079 in	0.880 lb
CSBMN-756	7-1/4 in	5/8 in	Modified Alternate Top Bevel (M-ATB)	2°	0.079 in	0.880 lb
CSBMK-842	8 in	5/8 in	Modified Alternate Top Bevel (M-ATB)	2°	0.079 in	1.100 lb

ALUMINUM CIRCULAR SAW BLADES

- High velocity premium carbide teeth deliver 2x blade life
- Optimized tooth geometry provides 2x faster cutting speed
- Cordless and corded performance for maximum versatility
- Active Shield[™] blade coating protects against heat for reduced gumming
- Laser cut vibration slots absorb vibration for accurate, clean cuts



Cat. No.	Size	Arbor/Bore Size	Tooth Type	Hook/Rake Angle	Kerf Thickness	Product Weight
CSBAM-550	5-3/8 in	20mm w Reduction 10mm, 5/8" & 1/2" Rings	Triple Chip Grind (TCG)	5°	0.094 in	0.500 lb
CSBAM-760	7-1/4 in	5/8 in	Triple Chip Grind (TCG)	5°	0.098 in	0.950 lb
CSBAM-1084	10 in	5/8 in	Triple Chip Grind (TCG)	5°	0.110 in	2.050 lb
CSBAM-1296	12 in	1 in	Triple Chip Grind (TCG)	5°	0.110 in	2.830 lb

COMPOSITE DECKING CIRCULAR SAW BLADES

- Razor tipped premium carbide teeth provide a 50% smoother finish
- Optimized tooth geometry for clean, melt-free cuts
- Cordless and corded performance for maximum versatility
- Active Shield[™] blade coating protects against heat for reduced gumming
- Thin kerf design for fast, precise cuts
- Laser cut expansion slots reduce burn marks
- Laser cut vibration slots minimize blade vibration to reduce swirl marks



Cat. No.	Size	Arbor/Bore Size	Tooth Type	Hook/Rake Angle	Kerf Thickness	Product Weight
CSBTX-744	7-1/4 in	5/8 in	Triple Chip Grind (TCG)	-3°	0.063 in	0.600 lb



FIBER CEMENT CIRCULAR SAW BLADES

- Premium Polycrystalline Diamond Teeth (PCD) deliver 75x blade life
- Ultra-thin kerf design provides clean cuts with 50% less dust
- Cordless and corded performance for maximum versatility
- Active Shield[™] blade coating protects against heat for reduced gumming
- Laser cut vibration slots minimize blade vibration for maximum stability



Cat. No.	Size	Arbor/Bore Size	Tooth Type	Hook/Rake Angle	Kerf Thickness	Product Weight
CSBFC-704	7-1/4 in	5/8 in	Flat Top	10°	0.071 in	0.725 lb
CSBFC-1006	10 in	5/8 in	Flat Top	10°	0.087 in	1.680 lb
CSBFC-1208	12 in	1 in	Flat Top	10°	0.094 in	2.665 lb

HIGH SPEED AUGER DRILL BITS

- 5x more durable in nail-embedded wood
- Triple sharpened high speed steel is designed to cut through 20x faster than a standard flat paddle bit
- Optimal tip and tri-flute design offers more cuts per charge
- Optimized for heavy-duty use with modified impact zone provides 8x blade life
- High speed steel is 2.5x lighter than solid augers
- 1/4" quick-release hex shank provides optimal performance in both impact drivers and drills



Cat. No.	Bit Diameter	Bit Type	Shank Diameter	Shank Shape	Overall Length
CDSA-629	1/2 in	High Speed Auger	1/4 in	Hex	9.488 in
CDSA-633	5/8 in	High Speed Auger	1/4 in	Hex	9.488 in
CDSA-637	3/4 in	High Speed Auger	1/4 in	Hex	9.488 in
CDSA-641	7/8 in	High Speed Auger	1/4 in	Hex	9.488 in
CDSA-645	1 in	High Speed Auger	1/4 in	Hex	9.488 in
CDSA-649	1-1/4 in	High Speed Auger	1/4 in	Hex	9.488 in

6 PC. HIGH SPEED AUGER SET



CDSASET-6			- Committee
Cat. No.	Description	Cat. No.	Description
CDSA-629	1/2 x 6" High Speed Auger Drill Bit	CDSA-641	7/8 x 6" High Speed Auger Drill Bit
CDSA-633	5/8 x 6" High Speed Auger Drill Bit	CDSA-645	1 x 6" High Speed Auger Drill Bit
CDSA-637	3/4 x 6" High Speed Auger Drill Bit	CDSA-649	1-1/4 x 6" High Speed Auger Drill Bit

Cat. No.

AUGER DRILL BITS


DRILL THROUGH HIGH SPEED AUGER BIT

Smart Design Leads to Effortless Drilling

Crescent's High Speed Auger Bit provides ultimate performance and superior durability in nail-embedded wood applications. A three-step cutting action creates holes that are precise and clean. The self-feeding tip pulls the bit while the triple cutting edge delivers an effortless, smooth drilling experience in wood with nails. Deep flutes enhance the chip evacuation process for more holes per charge. The quick-change shank increases stability and durability in cordless and corded impact wrenches and drill drivers.



High Impact Performance



Designed to cut through 20x faster than competitive standard flat paddle bits

() CRESCENT

3 PC. HIGH SPEED AUGER SET

Cat No



CDSASET-3				
Cat. No.	Description	Cat. No.	Description	
CDSA-633	5/8 x 6" High Speed Auger Drill Bit	CDSA-645	1 x 6" High Speed Auger Drill Bit	
CDSA-637	3/4 x 6" High Speed Auger Drill Bit			

SHIP AUGER DRILL BITS

- Optimal flute design rapidly engages and penetrates materials
- Enhanced deeper flute design for ease of chip removal and less binding
- Refined cutting edges offer single cutting action for precise, clean holes
- Optimal tip design for rapid engagement in materials
- Longer length flute design to easily penetrate stacked wood and other thicker wood materials



Cat. No.	Bit Diameter	Bit Type	Shank Diameter	Shank Shape	Overall Length	Product Weight
CDSH-1821	3/8 in	Ship Auger	3/8 in	Hex	18.0 in	0.353 lb
CDSH-1829	1/2 in	Ship Auger	5/16 in	Hex	18.0 in	0.551 lb
CDSH-1831	9/16 in	Ship Auger	7/16 in	Hex	18.0 in	0.595 lb
CDSH-1833	5/8 in	Ship Auger	3/8 in	Hex	18.0 in	0.838 lb
CDSH-1837	3/4 in	Ship Auger	7/16 in	Hex	18.0 in	1.036 lb
CDSH-1841	7/8 in	Ship Auger	7/16 in	Hex	18.0 in	1.168 lb
CDSH-1845	1 in	Ship Auger	7/16 in, 1 in	Hex	18.0 in	1.543 lb
CDSH-1847	1-1/8 in	Ship Auger	7/16 in	Hex	18.0 in	1.874 lb
CDSH-1849	1-1/4 in	Ship Auger	7/16 in	Hex	18.0 in	2.183 lb
CDSH-1853	1-1/2 in	Ship Auger	7/16 in	Hex	18.0 in	2.866 lb

SOLID AUGER DRILL BITS

- Optimal cutting edges provide precise, clean holes in wood drilling applications
- Tip and flute design offers 40% more cuts per charge
- Triple sharpened high speed steel for cutting precise, clean holes in less time
- Deep flutes for fast chip evacuation and holes per charge
- 1/4" quick-release hex shank provides optimal performance in both impact drivers and drills



Cat. No.	Bit Diameter	Bit Type	Shank Diameter	Shank Shape	Overall Length
CDAG-1321	3/8 in	Solid Auger	5/16 in	Hex	13.0 in
CDAG-1325	7/16 in	Solid Auger	5/16 in	Hex	13.0 in
CDAG-1329	1/2 in	Solid Auger	5/16 in	Hex	13.0 in
CDAG-1331	9/16 in	Solid Auger	7/16 in	Hex	13.0 in

Cat. No.	Bit Diameter	Bit Type	Shank Diameter	Shank Shape	Overall Length
CDAG-1333	5/8 in	Solid Auger	7/16 in	Hex	13.0 in
CDAG-1335	11/16 in	Solid Auger	7/16 in	Hex	13.0 in
CDAG-1337	3/4 in	Solid Auger	7/16 in	Hex	13.0 in
CDAG-1339	13/16 in	Solid Auger	7/16 in	Hex	13.0 in
CDAG-1341	7/8 in	Solid Auger	7/16 in	Hex	13.0 in
CDAG-1343	15/16 in	Solid Auger	7/16 in	Hex	13.0 in
CDAG-1345	1 in	Solid Auger	7/16 in	Hex	13.0 in
CDAG-1346	1-1/16 in	Solid Auger	7/16 in	Hex	13.0 in
CDAG-1347	1-1/8 in	Solid Auger	7/16 in	Hex	13.0 in
CDAG-1349	1-1/4 in	Solid Auger	7/16 in	Hex	13.0 in
CDAG-1351	1-3/8 in	Solid Auger	7/16 in	Hex	13.0 in
CDAG-1353	1-1/2 in	Solid Auger	7/16 in	Hex	13.0 in
CDAG-1721	3/8 in	Solid Auger	5/16 in	Hex	17.5 in
CDAG-1725	7/16 in	Solid Auger	5/16 in	Hex	17.5 in
CDAG-1729	1/2 in	Solid Auger	3/8 in	Hex	17.5 in
CDAG-1731	9/16 in	Solid Auger	5/16 in	Hex	17.5 in
CDAG-1733	5/8 in	Solid Auger	7/16 in	Hex	17.5 in
CDAG-1735	11/16 in	Solid Auger	7/16 in	Hex	17.5 in
CDAG-1737	3/4 in	Solid Auger	3/8 in	Hex	17.5 in
CDAG-1739	13/16 in	Solid Auger	7/16 in	Hex	17.5 in
CDAG-1741	7/8 in	Solid Auger	1/2 in	Hex	17.5 in
CDAG-1743	15/16 in	Solid Auger	7/16 in	Hex	17.5 in
CDAG-1745	1 in	Solid Auger	7/16 in	Hex	17.5 in
CDAG-1746	1-1/16 in	Solid Auger	7/16 in	Hex	17.5 in
CDAG-1747	1-1/8 in	Solid Auger	7/16 in	Hex	17.5 in
CDAG-1749	1-1/4 in	Solid Auger	7/16 in	Hex	17.5 in
CDAG-1751	1-3/8 in	Solid Auger	7/16 in	Hex	17.5 in
CDAG-1753	1-1/2 in	Solid Auger	7/16 in	Hex	17.5 in
CDAG-7509	1/4 in	Solid Auger	3/16 in	Hex	7.5 in
CDAG-7513	5/16 in	Solid Auger	1/4 in	Hex	7.5 in
CDAG-7521	3/8 in	Solid Auger	5/16 in	Hex	7.5 in
CDAG-7525	7/16 in	Solid Auger	5/16 in	Hex	7.5 in
CDAG-7529	1/2 in	Solid Auger	5/16 in	Hex	7.5 in
CDAG-7525	9/16 in	Solid Auger	5/16 in	Hex	7.5 in
CDAG-7533	5/8 in	Solid Auger	7/16 in	Hex	7.5 in
CDAG-7535	11/16 in	Solid Auger	7/16 in	Hex	7.5 in
CDAG-7535	3/4 in	Solid Auger	7/16 in	Hex	
CDAG-7537 CDAG-7539	3/4 m 13/16 in	Solid Auger	7/16 in	Hex	7.5 in 7.5 in
		-	7/16 in		
CDAG-7541 CDAG-7543	7/8 in	Solid Auger		Hex	7.5 in
	15/16 in	Solid Auger	5/16 in	Hex	7.5 in
CDAG-7545	1 in	Solid Auger	5/16 in, 7/16 in	Hex	7.5 in
CDAG-7547	1-1/8 in	Solid Auger	7/16 in	Hex	7.5 in
CDAG-7549	1-1/4 in	Solid Auger	7/16 in	Hex	7.5 in
CDAG-7551	1-3/8 in	Solid Auger	7/16 in	Hex	7.5 in
CDAG-7553	1-1/2 in	Solid Auger	7/16 in	Hex	7.5 in



INSTALLER DRILL BITS

- Extended length provides increased accessibility
- Small hole in flute for easily pulling wires and cables through walls, ceilings, and floors
- Refined tip allows for precision holes in clean wood
- Standard shank for optimal use in drill chucks
- Optimal flute design for aggressive chip remove

CDIN-1813 1/4 in Hex 20.669 in 0.208 lb CDIN-1817 5/16 in Installer 1/4 in Hex 20.669 in 0.375 lb CDIN-1821 3/8 in Installer 1/4 in Hex 20.669 in 0.440 lb CDIN-1829 1/2 in Installer 1/4 in Hex 20.669 in 0.445 lb	Cat. No.	Bit Diameter	Bit Type	Shank Diameter	Shank Shape	Overall Length	Product Weight
CDIN-1821 3/8 in Installer 1/4 in Hex 20.669 in 0.440 lb	CDIN-1813	1/4 in	Installer	1/4 in	Hex	20.669 in	0.208 lb
	CDIN-1817	5/16 in	Installer	1/4 in	Hex	20.669 in	0.375 lb
CDIN-1829 1/2 in Installer 1/4 in Hex 20.669 in 0.485 lb	CDIN-1821	3/8 in	Installer	1/4 in	Hex	20.669 in	0.440 lb
	CDIN-1829	1/2 in	Installer	1/4 in	Hex	20.669 in	0.485 lb

FLAT SPADE DRILL BITS

- Reinforced tip geometry increases durability and provides a longer life
- Advanced cutting grooves for fast and easy chip removal
- Reinforced shank with torsion zone for work at rapid speeds and aggressive cuts
- 1/4" quick-release hex shank provides optimal performance in both impact drivers and drills
- Drills more holes in less time



Cat. No.	Bit Diameter	Bit Type	Shank Diameter	Shank Shape	Overall Length	Product Weight
CDFP-613	1/4 in	Flat Spade	1/4 in	Hex	8.465 in	0.088 lb
CDFP-617	5/16 in	Flat Spade	1/4 in	Hex	8.465 in	0.093 lb
CDFP-621	3/8 in	Flat Spade	1/4 in	Hex	8.465 in	0.099 lb
CDFP-625	7/16 in	Flat Spade	1/4 in	Hex	8.465 in	0.104 lb
CDFP-629	1/2 in	Flat Spade	1/4 in	Hex	8.465 in	0.106 lb
CDFP-631	9/16 in	Flat Spade	1/4 in	Hex	8.465 in	0.106 lb
CDFP-633	5/8 in	Flat Spade	1/4 in	Hex	8.465 in	0.108 lb
CDFP-635	11/16 in	Flat Spade	1/4 in	Hex	8.465 in	0.108 lb
CDFP-637	3/4 in	Flat Spade	1/4 in	Hex	8.465 in	0.110 lb
CDFP-641	7/8 in	Flat Spade	1/4 in	Hex	8.465 in	0.112 lb
CDFP-643	15/16 in	Flat Spade	1/4 in	Hex	8.465 in	0.112 lb
CDFP-645	1 in	Flat Spade	1/4 in	Hex	8.465 in	0.117 lb
CDFP-647	1-1/8 in	Flat Spade	1/4 in	Hex	8.465 in	0.139 lb
CDFP-649	1-1/4 in	Flat Spade	1/4 in	Hex	8.465 in	0.143 lb
CDFP-651	1-3/8 in	Flat Spade	1/4 in	Hex	8.465 in	0.148 lb
CDFP-653	1-1/2 in	Flat Spade	1/4 in	Hex	8.465 in	0.154 lb
CDFP-696	13/16 in	Flat Spade	1/4 in	Hex	8.465 in	0.110 lb

6 PC. **FLAT SPADE SET**

Cat. No.



CDFP-SET6						
Cat. No.	Description	Cat. No.	Description			
CDFP-621	3/8 x 6" Flat Spade Drill Bit	CDFP-637	3/4 x 6" Flat Spade Drill Bit			
CDFP-629	1/2 x 6" Flat Spade Drill Bit	CDFP-641	7/8 x 6" Flat Spade Drill Bit			
CDFP-633	5/8 x 6" Flat Spade Drill Bit	CDFP-645	1 x 6" Flat Spade Drill Bit			

SCREW POINT PADDLE DRILL BITS

- 15x faster than standard spade bits
- Contoured paddle design efficiently removes chips to prevent hole clogging
- Heavy-duty use with optimized impact zone
- Screw point allows users to go fast with control
- 1/4" quick-release hex shank provides optimal performance in both impact drivers and drills



Cat. No.	Bit Diameter	Bit Type	Shank Diameter	Shank Shape	Overall Length	Product Weight
CDSP-421	3/8 in	Screw-Point Paddle	1/4 in	Hex	7.244 in	0.064 lb
CDSP-429	1/2 in	Screw-Point Paddle	1/4 in	Hex	7.244 in	0.066 lb
CDSP-433	5/8 in	Screw-Point Paddle	1/4 in	Hex	7.244 in	0.073 lb
CDSP-437	3/4 in	Screw-Point Paddle	1/4 in	Hex	7.244 in	0.084 lb
CDSP-441	7/8 in	Screw-Point Paddle	1/4 in	Hex	7.244 in	0.088 lb
CDSP-445	1 in	Screw-Point Paddle	1/4 in	Hex	7.244 in	0.092 lb
CDSP-447	1-1/8 in	Screw-Point Paddle	1/4 in	Hex	7.244 in	0.099 lb
CDSP-449	1-1/4 in	Screw-Point Paddle	1/4 in	Hex	7.244 in	0.106 lb
CDSP-453	1-1/2 in	Screw-Point Paddle	1/4 in	Hex	7.244 in	0.110 lb
CDSP-613	1/4 in	Screw-Point Paddle	1/4 in	Hex	8.465 in	0.059 lb
CDSP-617	5/16 in	Screw-Point Paddle	1/4 in	Hex	8.465 in	0.073 lb
CDSP-621	3/8 in	Screw-Point Paddle	1/4 in	Hex	8.465 in	0.087 lb
CDSP-621-2	3/8 in	Screw-Point Paddle	1/4 in	Hex	8.504 in	0.168 lb
CDSP-625	7/16 in	Screw-Point Paddle	1/4 in	Hex	8.465 in	0.088 lb
CDSP-629	1/2 in	Screw-Point Paddle	1/4 in	Hex	8.465 in	0.091 lb
CDSP-629-2	1/2 in	Screw-Point Paddle	1/4 in	Hex	8.504 in	0.185 lb
CDSP-631	9/16 in	Screw-Point Paddle	1/4 in	Hex	8.465 in	0.091 lb
CDSP-631-2	9/16 in	Screw-Point Paddle	1/4 in	Hex	8.504 in	0.188 lb
CDSP-633	5/8 in	Screw-Point Paddle	1/4 in	Hex	8.465 in	0.093 lb
CDSP-633-2	5/8 in	Screw-Point Paddle	1/4 in	Hex	8.504 in	0.190 lb
CDSP-635	11/16 in	Screw-Point Paddle	1/4 in	Hex	8.465 in	0.098 lb
CDSP-637	3/4 in	Screw-Point Paddle	1/4 in	Hex	8.465 in	0.125 lb
CDSP-637-2	3/4 in	Screw-Point Paddle	1/4 in	Hex	8.504 in	0.198 lb
					(Ci	ontinued on next page

(Continued on next page)

CRESCENT

SCREW POINT PADDLE DRILL BITS (Continued from previous page)

Cat. No.	Bit Diameter	Bit Type	Shank Diameter	Shank Shape	Overall Length	Product Weight
CDSP-639	13/16 in	Screw-Point Paddle	1/4 in	Hex	8.465 in	0.118 lb
CDSP-641	7/8 in	Screw-Point Paddle	1/4 in	Hex	8.465 in	0.119 lb
CDSP-641-2	7/8 in	Screw-Point Paddle	1/4 in	Hex	8.504 in	0.218 lb
CDSP-641-2	15/16 in	Screw-Point Paddle		Hex	8.465 in	
			1/4 in			0.123 lb
CDSP-645	1 in	Screw-Point Paddle	1/4 in	Hex	8.465 in	0.127 lb
CDSP-645-2	1 in	Screw-Point Paddle	1/4 in	Hex	8.504 in	0.239 lb
CDSP-647	1-1/8 in	Screw-Point Paddle	1/4 in	Hex	8.465 in	0.140 lb
CDSP-649	1-1/4 in	Screw-Point Paddle	1/4 in	Hex	8.465 in	0.141 lb
CDSP-651	1-3/8 in	Screw-Point Paddle	1/4 in	Hex	8.465 in	0.149 lb
CDSP-653	1-1/2 in	Screw-Point Paddle	1/4 in	Hex	8.465 in	0.156 lb
CDSP-1625	7/16 in	Screw-Point Paddle	1/4 in	Hex	18.661 in	0.282 lb
CDSP-1629	1/2 in	Screw-Point Paddle	1/4 in	Hex	18.661 in	0.284 lb
CDSP-1633	5/8 in	Screw-Point Paddle	1/4 in	Hex	18.661 in	0.348 lb
CDSP-1637	3/4 in	Screw-Point Paddle	1/4 in	Hex	18.661 in	0.412 lb
CDSP-1641	7/8 in	Screw-Point Paddle	1/4 in	Hex	18.661 in	0.417 lb
CDSP-1645	1 in	Screw-Point Paddle	1/4 in	Hex	18.661 in	0.423 lb

16 PC. SCREW POINT PADDLE DRILL BIT SET

Cat. No.	Included Storage	Product Weig	ght			11111	
CDSPSET-16	Pouch	2.557 lb					
Cat. No.	Description		Qty.	Cat. No.	Description	Qty.	
CDSP-613	1/4 x 6" Screw Point Padd	e Drill Bit	2	CDSP-637	3/4 x 6" Screw Point Paddle Drill Bit	1	
CDSP-621	3/8 x 6" Screw Point Padd	e Drill Bit	2	CDSP-639	13/16 x 6" Screw Point Paddle Drill Bit	1	
CDSP-629	1/2 x 6" Screw Point Padd	e Drill Bit	1	CDSP-641	7/8 x 6" Screw Point Paddle Drill Bit	2	
CDSP-631	9/16 x 6" Screw Point Pado	dle Drill Bit	1	CDSP-645	1 x 6" Screw Point Paddle Drill Bit	2	
CDSP-633	5/8 x 6" Screw Point Paddl	e Drill Bit	1	CDSP-647	1-1/8 x 6" Screw Point Paddle Drill Bit	1	
CDSP-635	11/16 x 6" Screw Point Pac	ddle Drill Bit	1	CDSP-649	1-1/4 x 6" Screw Point Paddle Drill Bit	1	

12 PC. SCREW POINT PADDLE DRILL BIT SET



Cat. No.	Product Weight		
CDSPSET-12	1.466 lb		
Cat. No.	Description	Cat. No.	Description
CDSP-613	1/4 x 6" Screw Point Paddle Drill Bit	CDSP-637	3/4 x 6" Screw Point Paddle Drill Bit
CDSP-621	3/8 x 6" Screw Point Paddle Drill Bit	CDSP-639	13/16 x 6" Screw Point Paddle Drill Bit
CDSP-629	1/2 x 6" Screw Point Paddle Drill Bit	CDSP-641	7/8 x 6" Screw Point Paddle Drill Bit
CDSP-631	9/16 x 6" Screw Point Paddle Drill Bit	CDSP-645	1 x 6" Screw Point Paddle Drill Bit
CDSP-633	5/8 x 6" Screw Point Paddle Drill Bit	CDSP-647	1-1/8 x 6" Screw Point Paddle Drill Bit
CDSP-635	11/16 x 6" Screw Point Paddle Drill Bit	CDSP-649	1-1/4 x 6" Screw Point Paddle Drill Bit

8 PC. SCREW POINT PADDLE DRILL BIT SET

Product Weight

Cat. No.



CDSPSET-8	0.948 lb		
Cat. No.	Description	Cat. No.	Description
CDSP-621	3/8 x 6" Screw Point Paddle Drill Bit	CDSP-635	11/16 x 6" Screw Point Paddle Drill Bit
CDSP-629	1/2 x 6" Screw Point Paddle Drill Bit	CDSP-637	3/4 x 6" Screw Point Paddle Drill Bit
CDSP-631	9/16 x 6" Screw Point Paddle Drill Bit	CDSP-641	7/8 x 6" Screw Point Paddle Drill Bit
CDSP-633	5/8 x 6" Screw Point Paddle Drill Bit	CDSP-645	1 x 6" Screw Point Paddle Drill Bit

6 PC. SCREW POINT PADDLE DRILL BIT SET



Cat. No.	o. Product Weight		
CDSPSET-6	0.761 lb		
Cat. No.	Description	Cat. No.	Description
CDSP-621	3/8 x 6" Screw Point Paddle Drill Bit	CDSP-637	3/4 x 6" Screw Point Paddle Drill Bit
CDSP-629	1/2 x 6" Screw Point Paddle Drill Bit	CDSP-641	7/8 x 6" Screw Point Paddle Drill Bit
CDSP-633	5/8 x 6" Screw Point Paddle Drill Bit	CDSP-645	1 x 6" Screw Point Paddle Drill Bit

(CRESCENT

SELF-FEED DRILL BITS

- Long lasting blades that can be resharpened for optimal cutting
- Dptimal screw point tip quickly engages in materials
- Center feed screw point guides the bit to allow for faster and more precise pull through
- 7/16" quick release hex shank reduces slippage
- Three hardened cutting surfaces deliver long life, minimal binding, and fast chip ejection
- Includes replacement tip and hex key



Cat. No.	Bit Diameter	Bit Type	Shank Diameter	Shank Shape	Overall Length	Product Weight
CDSF-545	1 in	Self Feed	7/16 in	Hex	5.0 in	0.364 lb
CDSF-547	1-1/8 in	Self Feed	7/16 in	Hex	5.0 in	0.383 lb
CDSF-549	1-1/4 in	Self Feed	7/16 in	Hex	5.0 in	0.427 lb
CDSF-551	1-3/8 in	Self Feed	7/16 in	Hex	5.0 in	0.438 lb
CDSF-553	1-1/2 in	Self Feed	7/16 in	Hex	5.0 in	0.478 lb
CDSF-557	1-3/4 in	Self Feed	7/16 in	Hex	5.0 in	0.541 lb
CDSF-561	2 in	Self Feed	7/16 in	Hex	5.0 in	0.587 lb
CDSF-563	2-1/8 in	Self Feed	7/16 in	Hex	5.0 in	0.633 lb
CDSF-565	2-1/4 in	Self Feed	7/16 in	Hex	5.0 in	0.686 lb
CDSF-570	2-9/16 in	Self Feed	7/16 in	Hex	5.0 in	0.809 lb
CDSF-577	3 in	Self Feed	7/16 in	Hex	5.0 in	1.239 lb
CDSF-583	3-5/8 in	Self Feed	7/16 in	Hex	5.0 in	1.611 lb

DRILL BIT EXTENSIONS

- Provides increased accessibility in fastening and drilling applications
- Quick release allows for effortless switching between accessories and sizes
- One piece construction for best concentration of force to provide a longer lifetime
- Effortlessly switch between fastening and drilling accessories
- Hex shank provides optimal performance in both impact drivers and drills



Cat. No.	Drive Size	Shank Shape	Overall Length	Product Weight
CDEX-1213	1/4 in	Hex	12.0 in	0.389 lb
CDEX-1221	5/16 in	Hex	12.0 in	0.686 lb
CDEX-1225	7/16 in	Hex	12.0 in	0.930 lb
CDEX-1821	5/16 in	Hex	18.0 in	0.975 lb
CDEX-1825	7/16 in	Hex	18.0 in	1.327 lb
CDEX-5521	3/8 in	Hex	5.50 in	0.366 lb
CDEX-5525	7/16 in	Hex	5.50 in	0.475 lb

THE BOLT BITER IMPACT NUT EXTRACTOR AND DRIVER

Nothing Escapes A Bolt Biter's Grip

The new Crescent Bolt Biter[™] impact nut extractor & driver is the ultimate tool for driving and extracting hex head fasteners of any condition, whether new, worn, rounded, rusted, or damaged. The revolutionary tapered socket design engages with the fastener on the first try and eliminates the frustration of working with old or damaged fasteners.







BOLT BITER[™] IMPACT NUTDRIVERS AND EXTRACTORS

- Bi-directional design for removing or tightening damaged fasteners
- Tapered entry grabs onto damaged fasteners with ease
- Up to 50x longer life in high torque impact applications
- 1/4" hex shank is compatible with impact drivers and drills
- Strong magnet for holding fasteners securely in place
- High-visibility laser etched markings provide quick size identification
- Black oxide finish to resist corrosion



Cat. No.	Overall Length	Product Weight
CAVBXM1D16	1.875 in	0.062 lb
CAVBXM1D20	1.875 in	0.066 lb
CAVBXM1D24	1.875 in	0.071 lb
CAVBXM1D28	1.875 in	0.078 lb
CAVBXM1D32	1.875 in	0.082 lb

5 PC. BOLT BITER[™] IMPACT NUTDRIVER AND EXTRACTOR SET



Cat. No.	Included Storage	Product Weight		
CAVBXM1R-5	Rail	0.251 lb		•
Cat. No.	Description		Cat. No.	Description
CAVBXM1D16	1/4" x 1-7/8" Bolt Biter™ Im	pact Nut Driver and Extractor	CAVBXM1D28	7/16" x 1-7/8" Bolt Biter™ Impact Nut Driver and Extractor
CAVBXM1D20	5/16" x 1-7/8" Bolt Biter™ I	mpact Nut Driver and Extractor	CAVBXM1D32	1/2" x 1-7/8" Bolt Biter™ Impact Nut Driver and Extractor
CAVBXM1D24	3/8" x 1-7/8" Bolt Biter™ Im	pact Nut Driver and Extractor		

BOLT BITER[™] 6" MAGNETIC IMPACT NUTDRIVER AND EXTRACTORS



Cat. No.	Fastener Size	Overall Length	Product Weight
CAVBXM6D16	1/4 in	6.0 in	0.146 lb
CAVBXM6D20	5/16 in	6.0 in	0.152 lb
CAVBXM6D24	3/8 in	6.0 in	0.171 lb

3 PC. BOLT BITER[™] 6" MAGNETIC IMPACT NUTDRIVER AND EXTRACTOR SET



Cat. No.	Cat. No.Product WeightCAVBXM6-30.454 lb		
CAVBXM6-3			•
Cat. No.	Description	Cat. No.	Description
CAVBXM6D16	1/4" x 6" Bolt Biter™ Magnetic Impact Nutdriver and Extractor	CAVBXM6D24	3/8" x 6" Bolt Biter™ Magnetic Impact Nutdriver and Extractor
CAVBXM6D20	5/16" x 6" Bolt Biter™ Magnetic Impact Nutdriver and Extractor		

VORTEX[™] BIT HOLDER

- Dual impact torsion zone absorbs shock, prevents stripped screws, and extends bit life
- Withstands heavy use in impact applications and prevents over-torquing fasteners
- Compatible with 1/4" hex shank impact drivers and drills
- Optimized tip geometry eliminates cam-out and promotes fastener retention
- Torsion zone delivers maximum performance for impact applications
- Unique steel formulation offers maximum strength
- Laser markings for long-lasting quick and easy size identification



Cat. No.SizeOverall LengthQuantity Per PackageProduct WeightCAVBH31/4 in3.5 in10.170 lb



55 PC. VORTEX[™] BIT HOLDER FASTENING SET

- Dual impact torsion zone absorbs shock, prevents stripped screws, and extends bit life
- Withstands heavy use in impact applications and prevents over-torquing fasteners
- Compatible with 1/4" hex shank impact drivers and drills
- Optimized tip geometry eliminates cam-out and promotes fastener retention
- Torsion zone delivers maximum performance for impact applications
- Unique steel formulation offers maximum strength
- Laser markings for long-lasting quick and easy size identification
- alphaCASE[™] pivoting and detachable rails allows for easy access and customization
- alphaCASE[™] designed with superior durability to withstand the toughest jobs



Gat. NO.	included Storage	Product weight				
CAVBHSET-55	alphaCASE™	1.551 lb		_		
Cat. No.	Description		Qty.	Cat. No.	Description	Qty.
CAVBH3	VORTEX [™] Bit Holder 1/4" x 3-1/2"		1	CAVB1T30-2	T30 x 1" Torx [®] VORTEX [™] Impact Power Bit	2
CAVB1PH1-2	#1 x 1" Phillips [®] VORTEX™ Impact Po	ower Bit	2	CAVB1T40-2	T40 x 1" Torx [®] VORTEX [™] Impact Power Bit	1
CAVB1PH2-2	#2 x 1" Phillips [®] VORTEX [™] Impact Po	ower Bit	6	CAVB1SQ1-2	#1 x 1" Square VORTEX [™] Impact Power Bit	2
CAVB2PH2-2	#2 x 2" Phillips [®] VORTEX [™] Impact Po	ower Bit	5	CAVB1SQ2-2	#2 x 1" Square VORTEX [™] Impact Power Bit	6
CAVB1PH3-2	#3 x 1" Phillips [®] VORTEX™ Impact Po	ower Bit	4	CAVB2SQ2-2	#2 x 2" Square VORTEX [™] Impact Power Bit	2
CAVB1SL4-5-2	4 - 5 x 1" Slotted VORTEX [™] Impact F	Power Bit	2	CAVB1SQ3-2	#3 x 1" Square VORTEX [™] Impact Power Bit	3
CAVB1SL6-8-2	6 - 8 x 1" Slotted VORTEX [™] Impact F	Power Bit	3	-	1/4" x 1" Magnetic Nutsetter	1
CAVB1SL8-10-2	8 - 10 x 1" Slotted VORTEX™ Impact	Power Bit	2	-	5/16" x 1" Magnetic Nutsetter	1
CAVB1T20-2	T20 x 1" Torx [®] VORTEX [™] Impact Pow	ver Bit	2	-	7/16" x 1" Magnetic Nutsetter	1
CAVB1T25-2	T25 x 1" Torx [®] VORTEX [™] Impact Pow	ver Bit	3	-	1/2" x 1" Magnetic Nutsetter	1
CAVB2T25-2	T25 x 2" Torx [®] VORTEX [™] Impact Pow	ver Bit	2			

38 PC. VORTEX[™] BIT HOLDER FASTENING SET



Cat. No.	Included Storage	Product Weight				
CAVSET-38	alphaCASE™	1.000 lb		-		
Cat. No.	Description		Qty.	Cat. No.	Description	Qty.
CAVB1PH1-2	#1 x 1" Phillips [®] VORTEX™ Impact P	ower Bit	2	CAVB1SL8-10-2	8 - 10 x 1" Slotted VORTEX [™] Impact Power Bit	1
CAVB1PH2-2	#2 x 1" Phillips [®] VORTEX [™] Impact P	ower Bit	9	CAVB1T15-2	T15 x 1" Torx [®] VORTEX [™] Impact Power Bit	2
CAVB2PH2-2	#2 x 2" Phillips® VORTEX™ Impact P	ower Bit	3	CAVB1T20-2	T20 x 1" Torx [®] VORTEX [™] Impact Power Bit	2
CAVB1PH3-2	#3 x 1" Phillips [®] VORTEX [™] Impact P	ower Bit	2	CAVB1T25-2	T25 x 1" Torx [®] VORTEX [™] Impact Power Bit	6
CAVB1SQ2-2	#2 x 1" Square VORTEX™ Impact Po	wer Bit	3	CAVB2T25-2	T25 x 2" Torx [®] VORTEX [™] Impact Power Bit	3
CAVB2SQ2-2	#2 x 2" Square VORTEX™ Impact Po	wer Bit	3	CAUGBH3-25	u-GUARD [™] Covered Bit Holder 1/4" x 3"	1
CAVB1SL6-8-2	6 - 8 x 1" Slotted VORTEX [™] Impact	Power Bit	1			

31 PC. VORTEX[™] BIT HOLDER FASTENING SET



Cat. No.	Included Storage	Product Weigh	t			
CAVBHSET-31	alphaCASE™	0.925 lb				
Cat. No.	Description		Qty.	Cat. No.	Description	Qty.
CAVBH3	VORTEX [™] Bit Holder 1/4" x 3	3-1/2"	1	CAVB1T15-2	T15 x 1" Torx [®] VORTEX™ Impact Power Bit	1
CAVAD216	VORTEX [™] Impact 1/4" Drive	Socket Adapter	1	CAVB1T20-2	T20 x 1" Torx [®] VORTEX™ Impact Power Bit	1
CAVAD224	VORTEX [™] Impact 3/8" Drive	Socket Adapter	1	CAVB1T25-2	T25 x 1" Torx [®] VORTEX [™] Impact Power Bit	2
CAVB1PH1-2	#1 x 1" Phillips [®] VORTEX [™] I	mpact Power Bit	2	CAVB2T25-2	T25 x 2" Torx [®] VORTEX [™] Impact Power Bit	1
CAVB1PH2-2	#2 x 1" Phillips [®] VORTEX [™] I	mpact Power Bit	5	CAVB1T30-2	T30 x 1" Torx [®] VORTEX™ Impact Power Bit	1
CAVB2PH2-2	#2 x 2" Phillips [®] VORTEX [™] I	mpact Power Bit	2	CAVB1SQ1-2	#1 x 1" Square VORTEX™ Impact Power Bit	1
CAVB1PH3-2	#3 x 1" Phillips [®] VORTEX [™] I	mpact Power Bit	2	CAVB1SQ2-2	#2 x 1" Square VORTEX™ Impact Power Bit	3
CAVB1SL4-5-2	4 - 5 x 1" Slotted VORTEX™	Impact Power Bit	1	CAVB2SQ2-2	#2 x 2" Square VORTEX™ Impact Power Bit	1
CAVB1SL6-8-2	6 - 8 x 1" Slotted VORTEX™	Impact Power Bit	2	CAVB1SQ3-2	#3 x 1" Square VORTEX™ Impact Power Bit	2
CAVB1SL8-10-2	8 - 10 x 1" Slotted VORTEX	[™] Impact Power Bit	1			

15 PC. VORTEX[™] BIT HOLDER WITH TORX[®] BITS

Product Weight

0.349 lb



VORTEX[™] IMPACT POWER BITS

Included Storage

Storage Case

Description

- Optimized tip geometry eliminates cam-out and promotes fastener retention
- Torsion zone delivers maximum performance for impact applications

VORTEX[™] Bit Holder 1/4" x 3-1/2"

- Laser markings for long-lasting quick and easy size identification
- Unique steel formulation offers maximum strength
- Unique heat treat process maximizes bit life

Cat. No.

Cat. No.

CAVBH3

CAVBH1T25-15

Cat. No.	Tip Style	Tip Size	Size	Overall Length	Quantity Per Package	Product Weight
CAVB1PH1-2	Phillips®	#1	#1	1.0 in	2	0.020 lb
CAVB1PH1-25	Phillips®	#1	#1	1.0 in	25	0.020 lb

Cat. No.

CAVB1T25-2

Qty.

1

(Continued on next page)

(CRESCENT

VORTEX[™] Impact Power Bits (Continued from previous page)

Cat. No.	Tip Style	Tip Size	Size	Overall Length	Quantity Per Package	Product Weight
CAVB2PH1-2	Phillips®	#1	#1	2.0 in	2	0.030 lb
AVB2PH1-25	Phillips®	#1	#1	2.0 in	25	0.020 lb
AVB3BPH1	Phillips®	#1	#1	3.5 in	2	0.063 lb
CAVB1PH2-2	Phillips®	#2	#2	1.0 in	2	0.030 lb
AVB1PH2-25	Phillips®	#2	#2	1.0 in	25	0.020 lb
AVB2PH2-2	Phillips®	#2	#2	2.0 in	2	0.250 lb
AVB2PH2-25	Phillips®	#2	#2	2.0 in	25	0.020 lb
AVB3BPH2	Phillips®	#2	#2	3.5 in	2	0.060 lb
AVB3PH2-25	Phillips®	#2	#2	3.5 in	25	0.040 lb
AVB6PH2	Phillips®	#2	#2	6.0 in	1	0.250 lb
AVB6PH2-25	Phillips®	#2	#2	6.0 in	25	0.075 lb
AVB1PH3-2	Phillips®	#3	#3	1.0 in	2	0.030 lb
AVB1PH3-25	Phillips®	#3	#3	1.0 in	25	0.020 lb
AVB2PH3-2	Phillips®	#3	#3	2.0 in	2	0.040 lb
AVB2PH3-25	Phillips®	#3	#3	2.0 in	25	0.020 lb
AVB3BPH3	Phillips®	#3	#3	3.5 in	2	0.062 lb
AVB1SL4-5-2	Slotted	4 - 5	4 - 5	1.0 in	2	0.020 lb
AVB2SL4-5-2	Slotted	4 - 5	4 - 5	2.0 in	2	0.040 lb
AVB2SL4-5-25	Slotted	4 - 5	4 - 5	2.0 in	25	0.020 lb
AVB1SL6-8-2	Slotted	6 - 8	6 - 8	1.0 in	2	0.020 lb
AVB2SL6-8-2	Slotted	6 - 8	6 - 8	2.0 in	2	0.040 lb
AVB2SL6-8-25	Slotted	6 - 8	6 - 8	2.0 in	25	0.020 lb
AVB1SL8-10-2	Slotted	8 - 10	8 - 10	1.0 in	2	0.020 lb
AVB1SL8-10-25	Slotted	8 - 10	8 - 10	1.0 in	25	0.020 lb
AVB2SL8-10-2	Slotted	8 - 10	8 - 10	2.0 in	2	0.050 lb
AVB2SL8-10-25	Slotted	8 - 10	8 - 10	2.0 in	25	0.020 lb
AVB1SQ1-2	Square	#1	#1	1.0 in	2	0.020 lb
AVB1SQ1-25	Square	#1	#1	1.0 in	25	0.020 lb
AVB2SQ1-2	Square	#1	#1	2.0 in	2	0.030 lb
AVB2SQ1-25	Square	#1	#1	2.0 in	25	0.020 lb
AVB3BSQ1	Square	#1	#1	3.5 in	2	0.063 lb
AVB1SQ2-2	Square	#2	#2	1.0 in	2	0.030 lb
AVB1SQ2-25	Square	#2	#2	1.0 in	25	0.020 lb
AVB2SQ2-2	Square	#2	#2	2.0 in	2	0.250 lb
AVB2SQ2-25	Square	#2	#2	2.0 in	25	0.020 lb
AVB3BSQ2	Square	#2	#2	3.5 in	2	0.060 lb
AVB3SQ2-25	Square	#2	#2	3.5 in	25	0.040 lb
AVB6SQ2	Square	#2	#2	6.0 in	2	0.090 lb
AVB6SQ2-25	Square	#2	#2	6.0 in	25	0.075 lb
AVB1SQ3-2	Square	#3	#3	1.0 in	2	0.020 lb
AVB1SQ3-25	Square	#3	#3	1.0 in	25	0.020 lb
CAVB2SQ3-2	Square	#3	#3	2.0 in	2	0.050 lb
CAVB2SQ3-25	Square	#3	#3	2.0 in	25	0.020 lb
CAVB3BSQ3	Square	#3	#3	3.5 in	2	0.020 lb

Torx® Torx® Torx® Torx®	T10 T10	T10 T10	1.0 in	2	0.030 lb
Torx®		T10			
	T10	110	1.0 in	25	0.020 lb
Torx®	T10	T10	2.0 in	2	0.040 lb
	T15	T15	1.0 in	2	0.020 lb
Torx®	T15	T15	1.0 in	25	0.020 lb
Torx®	T15	T15	2.0 in	2	0.040 lb
Torx®	T15	T15	2.0 in	25	0.020 lb
Torx®	T20	T20	1.0 in	2	0.020 lb
Torx®	T20	T20	1.0 in	25	0.020 lb
Torx®	T20	T20	2.0 in	2	0.040 lb
Torx®	T20	T20	2.0 in	25	0.020 lb
Torx®	T20	T20	3.5 in	2	0.063 lb
Torx®	T25	T25	1.0 in	2	0.030 lb
Torx®	T25	T25	1.0 in	25	0.020 lb
Torx®	T25	T25	2.0 in	2	0.040 lb
Torx®	T25	T25	2.0 in	25	0.020 lb
Torx®	T25	T25	3.5 in	2	0.060 lb
Torx®	T25	T25	3.5 in	25	0.040 lb
Torx®	T25				0.250 lb
					0.076 lb
					0.040 lb
					0.020 lb
					0.040 lb
					0.020 lb
					0.030 lb
					0.020 lb
					0.050 lb
					0.020 lb
					0.062 lb
					0.040 lb
					0.020 lb
					0.050 lb
					0.020 lb
-					0.020 lb
					0.020 lb
					0.020 lb
					0.020 lb
					0.020 lb
					0.020 lb
					0.020 lb
					0.020 lb
					0.020 lb
					0.020 lb
-					0.020 lb 0.020 lb
	Torx® Torx® Torx® Torx® Torx® Torx® Torx® Torx® Torx® Torx® Torx® Torx®	Torx®T15Torx®T20Torx®T20Torx®T20Torx®T20Torx®T20Torx®T20Torx®T20Torx®T20Torx®T25Torx®T25Torx®T25Torx®T25Torx®T25Torx®T25Torx®T25Torx®T25Torx®T27Torx®T27Torx®T27Torx®T27Torx®T30Torx®T30Torx®T30Torx®T30Torx®T30Torx®T40Torx®T40Torx®T40Torx®T25Security Torx®T25Security Torx®T25Security Torx®T25Security Torx®T27Pozidriv®#10Hex3/8 inHex3/16 inHex2 mmHex2 mmHex2 mmHex3 mm	Torx® T15 T15 Torx® T20 T20 Torx® T25 T25 Torx® T27 T27 Torx® T27 T27 Torx® T27 T27 Torx® T30 T30 Torx® T30 T30 Torx® T30 T30 Torx® T40 T40 Torx® T40 T40 Torx® T27 T27 Pozidriv® T25 T25 Sec	Tox® T15 T15 2.0 in Torx® T20 T20 1.0 in Torx® T20 T20 2.0 in Torx® T20 T20 2.0 in Torx® T20 T20 2.0 in Torx® T20 T20 3.5 in Torx® T25 T25 1.0 in Torx® T25 T25 2.0 in Torx® T25 T25 2.0 in Torx® T25 T25 2.0 in Torx® T25 T25 3.5 in Torx® T25 T25 3.5 in Torx® T25 T25 3.5 in Torx® T27 T27 0.0 in Torx® T27 T27 2.0 in Torx® T27 T27 2.0 in Torx® T30 T30 3.0 in Torx® T30 T30 2.0 in Torx® T40 140 1.0 in	Torx®T152.0 in25Torx®T20T201.0 in2Torx®T20T202.0 in25Torx®T20T202.0 in25Torx®T20T202.0 in26Torx®T20T203.5 in2Torx®T25T251.0 in25Torx®T25T252.0 in25Torx®T25T252.0 in25Torx®T25T253.5 in25Torx®T25T253.5 in25Torx®T25T253.5 in25Torx®T25T256.0 in1Torx®T27T270.0 in25Torx®T27T271.0 in25Torx®T27T272.0 in25Torx®T27T272.0 in25Torx®T30T301.0 in25Torx®T30T302.0 in25Torx®T30T302.0 in25Torx®T40T401.0 in25Torx®T27T271.0 in25Torx®T30T302.0 in25Torx®T30T302.0 in25Torx®T40T401.0 in25PozichrT27T271.0 in25PozichrT411.0 in25PozichrT40T401.0 in25Pozichr

-



INSERT BITS

- Full body design for greater strength and durability
- Dptimized tip geometry eliminates cam-out and promotes fastener retention
- S2 steel formulation offers maximum strength
- Unique heat treat process maximizes bit life
- Laser markings for long-lasting quick and easy size identification



Cat. No.	Tip Style	Tip Size	Size	Overall Length	Quantity Per Package	Product Weight
CAB1PH2-2	Phillips®	#2	#2	1.0 in	2	0.250 lb
CAB1SQ2-2	Square	#2	#2	1.0 in	2	0.250 lb
CAB1T25-2	Torx®	T25	T25	1.0 in	2	0.250 lb

7 PC. VORTEX[™] BIT AND FINDER SLEEVE SET

- Torsion zone delivers maximum performance for impact applications
- Optimized tip geometry eliminates cam-out and promotes fastener retention
- Laser markings for long-lasting quick and easy size identification
- Unique steel formulation offers maximum strength
- Heat treat process maximizes bit life



Gat. No.	Included Storage Prod	uct weight			
CABDG1R-7	Rail 0.25	0 lb			
Cat. No.	Description	Qty.	Cat. No.	Description	Qty.
CABD3-1	3" Drive Guide	1	CAVB1T25-2	T25 x 1" Torx [®] VORTEX ^{m} Impact Power Bit	2
CAVB1PH2-2	#2 x 1" Phillips [®] VORTEX [™] Impact Power	Bit 2	CAVB1SQ2-2	#2 x 1" Square VORTEX™ Impact Power Bit	2

VORTEX

VORTEX[™] IMPACT SOCKET ADAPTERS

- Ball detent for secure socket retention and easy replacement
- Torsion zone delivers maximum performance for impact applications
- Unique steel formulation offers maximum strength
- Heat treat process maximizes bit life
- Black oxide finish to resist corrosion



Cat. No.	Size	Overall Length	Quantity Per Package	Product Weight
CAVAD216	1/4 in	1.875 in	1	0.250 lb
CAVAD216-25	1/4 in	2.0 in	25	0.020 lb
CAVAD224	3/8 in	1.875 in	1	0.250 lb
CAVAD224-25	3/8 in	2.0 in	25	0.040 lb
CAVAD232	1/2 in	2.0 in	1	0.150 lb
CAVAD232-25	1/2 in	2.0 in	25	0.060 lb

4 F

3 PC. VORTEX[™] IMPACT SOCKET ADAPTER SET



Cat. No.	Cat. No. Included Storage Product Weight					
CAVAD2R-3	Rail	0.250 lb		6		
Cat. No.	Description		Cat. No.	Description		
CAVAD216	VORTEX [™] Impact 1/4" Drive Socket Adapter		CAVAD232-25	VORTEX [™] Impact 1/2" Drive Socket Adapter		
CAVAD224	VORTEX [™] Impact 3/8"	Drive Socket Adapter				

VORTEX[™] MAGNETIC NUTSETTERS

- Integrated magnet helps prevent nuts from falling out
- Optimized tip geometry eliminates cam-out and promotes fastener retention
- Torsion zone delivers maximum performance for impact applications
- Laser markings for long-lasting quick and easy size identification
- Unique steel formulation offers maximum strength
- Heat treat process maximizes bit life



Cat. No.	Size	Overall Length	Quantity Per Package	Product Weight
CAVN2DHX16	1/4 in	2.56 in	1	0.250 lb
CAVN2DHX16-25	1/4 in	2.65 in	25	0.088 lb
CAVN2DHX20	5/16 in	2.56 in	1	0.250 lb
CAVN2DHX20-25	5/16 in	2.65 in	25	0.088 lb
CAVN2DHX24	3/8 in	2.56 in	1	0.250 lb
CAVN2DHX24-25	3/8 in	2.65 in	25	0.088 lb
CAVN2DHX28	7/16 in	2.56 in	1	0.250 lb
CAVN2DHX28-25	7/16 in	2.65 in	25	0.088 lb

3" DRIVE GUIDE

- Magnetic tip keeps fasteners securely in place
- Quick-release for easy release of screwdriver bits
- Modified S2 Steel to maximize bit life
- Proprietary heat treat process extending bit life
- Impact rated



Cat. No.	Size	Overall Length	Quantity Per Package	Product Weight
CABD3-1	1/4 in	3.0 in	1	0.040 lb
CABD3-25	1/4 in	3.0 in	25	0.090 lb



2" QUICK RELEASE BIT HOLDER

- Magnetic tip keeps fasteners securely in place
- Quick-release for easy release of screwdriver bits
- Modified S2 Steel to maximize bit life
- Proprietary heat treat process extending bit life
- Impact rated



Cat. No.	Size	Overall Length	Product Weight
CABQ2D-1	1/4 in	2.0 in	0.100 lb

u-GUARD[™] COVERED BIT HOLDER

- Non-marring cover protects from scratching or damages
- Protective sleeve provides enhanced control and safety while fastening
- Full body bit design for greater strength and durability
- S2 steel formulation offers maximum strength
- Unique heat treat process maximizes bit life



Cat. No.	Size	Overall Length	Quantity Per Package	Product Weight
CAUGBH3-25	1/4 in	3.0 in	25	0.088 lb

u-GUARD[™] COVERED MAGNETIC NUTSETTERS

Integrated magnet helps prevent nuts from falling out



Cat. No.	Size	Overall Length	Quantity Per Package	Product Weight
CAUGN2DHX16	1/4 in	2.56 in	1	0.250 lb
CAUGN2DHX20	5/16 in	2.56 in	1	0.080 lb
CAUGN2DHX24	3/8 in	2.56 in	1	0.250 lb
CAUGN2DHX28	7/16 in	2.56 in	1	0.090 lb

u-GUARD[™] COVERED QUICK CHANGE MAGNETIC BIT HOLDER



Cat. No.	Overall Length	Quantity Per Package	Product Weight
CAUGBQ2D	2.56 in	1	0.250 lb

u-GUARD[™] COVERED MAGNETIC IMPACT POWER BITS

Magnetic ring helps to pick up and retain fasteners

Dptimized tip geometry eliminates cam-out and promotes fastener retention



Cat. No.	Tip Style	Tip Size	Size	Overall Length	Quantity Per Package	Product Weight
CAUMB3BPH2	Phillips®	#2	#2	3.5 in	2	0.250 lb
CAUMB3BT25	Torx®	T25	T25	3.5 in	2	0.250 lb
CAUMB3BSQ2	Square	#2	#2	3.5 in	2	0.250 lb

u-GUARD[™] COVERED IMPACT POWER BITS

Optimized tip geometry eliminates cam-out and promotes fastener retention



Cat. No.	Tip Style	Tip Size	Size	Overall Length	Quantity Per Package	Product Weight
CAUGB3BPH2	Phillips®	#2	#2	3.5 in	2	0.250 lb
CAUGB3BT25	Torx®	T25	T25	3.5 in	2	0.250 lb
CAUGB3BSQ2	Square	#2	#2	3.5 in	2	0.250 lb



30 PC. u-GUARD[™] ALPHACASE[™] SET

- alphaCASE[™] pivoting and detachable rails allows for easy access and customization
- alphaCASE[™] designed with superior durability to withstand the toughest jobs



Cat. No.	Included Storage	Product Weight				
CAUGSET-30	alphaCASE™	1.583 lb				
Cat. No.	Description		Qty.	Cat. No.	Description	Qty.
CAUGBQ2D	u-GUARD [™] Covered Quick Change Magnetic Bit Holder		1	CAVB1PH3-2	#3 x 1" Phillips [®] VORTEX [™] Impact Power Bit	1
CAUGN2DHX16	1/4" u-GUARD [™] Covered Magnetic Nutsetter		1	CAVB1SL8-10-2	8 - 10 x 1" Slotted VORTEX [™] Impact Power Bit	1
CAUGN2DHX20	5/16" u-GUARD [™] Covered Magnetic Nutsetter		1	CAVB1T20-2	T20 x 1" Torx [®] VORTEX [™] Impact Power Bit	1
CAUMB3BPH2	#2 Phillips [®] u-GUARD [™] Covered Impact Power Bit with Ring Magnet		1	CAVB1T25-2	T25 x 1" Torx [®] VORTEX [™] Impact Power Bit	1
CAUGB3BPH2	#2 x 3-1/2" Phillips [®] u-GUARD [™] Covered Impact Power Bit		1	CAVB2T25-2	T25 x 2" Torx [®] VORTEX [™] Impact Power Bit	2
CAVB1PH1-2	#1 x 1" Phillips [®] VORTEX [™] Impact Power Bit		2	CAVB1SQ2-2	#2 x 1" Square VORTEX™ Impact Power Bit	2
CAVB1PH2-2	#2 x 1" Phillips [®] VORTEX [™] Imp	act Power Bit	6	CAVB2SQ2-2	#2 x 2" Square VORTEX [™] Impact Power Bit	2
CAVB2PH2-2	#2 x 2" Phillips [®] VORTEX [™] Imp	act Power Bit	4			

-





We know it's not just horsepower, but brainpower that gets the job done right.

ATG-142377 Crescent* is a registered trademark of Apex Apex Tool Group, LLC. ©2024 Apex Tool Group, LLC. Brands, Inc., A Division of Apex Tool Group, LLC. 1000 Lufkin Road, Apex, NC 27539

